



RubINETterie Italiane Velatta SpA

————— since 1950 —————

» YOU need the BEST

The logo for the Apollo series, featuring the word "apollo" in a bold, orange, italicized serif font. A blue lightning bolt graphic is positioned above the "p". The entire word is underlined with a thin orange line.

apollo

Series





RIV 3100

Male hose-connection

» Tech drawings and tables

DNxØ	Code	H	F	PN	KG	P/box
1/8" x 6	033100000085	31	6	10	0,008	50
1/8" x 8	033100000086	32	6,5	10	0,011	50
1/8" x 10	033100000087	32	6,5	10	0,013	50
1/4" x 6	033100000105	33	7	10	0,012	50
1/4" x 8	033100000106	33	7	10	0,014	50
1/4" x 10	033100000107	33	7	10	0,015	50
1/4" x 13	033100000110	33	7	10	0,019	50
3/8" x 10	033100000129	35	8	10	0,019	40
3/8" x 13	033100000132	37	8	10	0,025	30
3/8" x 15	033100000134	40	8	10	0,028	30
1/2" x 10	033100000161	39	9	10	0,031	50
1/2" x 13	033100000163	40	9	10	0,036	50
1/2" x 15	033100000165	41	10	10	0,031	50
1/2" x 16	033100000166	42	10	10	0,038	50
1/2" x 18	033100000167	43	10	10	0,039	40
1/2" x 20	033100000168	44	10	10	0,040	40
3/4" x 13	033100000205	46	10	10	0,051	30
3/4" x 16	033100000207	49	11	10	0,057	30
3/4" x 18	033100000208	48	10	10	0,049	30
3/4" x 20	033100000210	49	11	10	0,056	25
3/4" x 22	033100000211	49	11	10	0,055	25
3/4" x 25	033100000213	52	11	10	0,084	15
1" x 20	033100000245	49	10	10	0,081	30






DNxØ	Code	H	F	PN	KG	Pz/box
1" x 23	033100000247	55	12	10	0,095	30
1" x 27	033100000248	56	12	10	0,089	30
1" x 30	033100000250	56	12	10	0,108	25
1" x 32	033100000251	55	11	10	0,148	20
1" 1/4 x 30	033100000290	60	12	10	0,124	20
1" 1/4 x 32	033100000291	60	12	10	0,132	20
1" 1/4 x 35	033100000292	60	12	10	0,146	15
1" 1/4 x 39	033100000287	67	13	10	0,171	12
1" 1/4 x 40	033100000295	67	13	10	0,178	12
1" 1/2 x 38	033100000331	65	13	10	0,214	15
1" 1/2 x 40	033100000332	67	14	10	0,225	12
1" 1/2 x 45	033100000333	74	15	10	0,243	10
1" 1/2 x 50	033100000335	70	13,5	10	0,303	10
2" x 50	033100000371	72	14	10	0,306	8
2" x 51	033100000379	72	14	10	0,307	8
2" x 60	033100000373	84	15	10	0,392	5
2" 1/2 x 60	033100000417	95	16	10	0,482	8
2" 1/2 x 63	033100000423	91	16	10	0,467	8
2" 1/2 x 70	033100000419	101	18	10	0,583	5
3" x 76	033100000470	98	18	10	0,746	5
3" x 80	033100000466	103	19	10	0,765	5
4" x 100	033100000558	123	22	10	1,211	2
4" x 102	033100000553	123	22	10	1,381	2

» Technical data

Art. 3100



Materials			
1	Body	Brass	CW617N

Connections	ISO 228/1
Limit	-10°C (without liquid) +100°C
Notes	The max. working pressure (PN) means at a room temperature of about 23°C.

» OtherProducts



RIV 3100

Male hose-connection



RIV 3101

Female hose-connection



RIV 3130

Three-piece fitting
 male x straight hose-connection
 metal seat



RIV 3150

Three-piece fitting
 male x bent hose-connection
 metal seat



RIV 3170

Three-piece fitting
 double hose-connection
 metal seat