
**SFH 6 90****S.A.E. Flangstengi**

Flatur Þéttflötur



Vörunúmer	Heiti	Slöngu stærð	T Gengjur	d mm	H mm	C mm
31-56-089608	MW 08SFH 6 90 08	1/2"	31,7	9,5	39	39
31-56-129608	MW 12SFH 6 90 08	1/2"	41,3	9,5	43	39
31-56-129612	MW 12SFH 6 90 12	3/4"	41,3	15,0	57	56
31-56-169612	MW 16SFH 6 90 12	3/4"	47,6	15,0	63	56
31-56-169616	MW 16SFH 6 90 16	1"	47,6	20,0	70	70
31-56-209616	MW 20SFH 6 90 16	1"	54,0	20,0	77	70
31-56-209620	MW 20SFH 6 90 20	1 1/4"	54,0	26,0	88	85
31-56-249620	MW 24SFH 6 90 20	1 1/4"	63,5	26,0	96	85
31-56-249624	MW 24SFH 6 90 24	1 1/2"	63,5	32,0	103	99
31-56-329632	MW 32SFH 6 90 32	2"	79,4	44,0	136	125



Hágæða fittings með vandaðri krómhúð.

Sami fittings fyrir 1-2-3 og 4 vírlaga slöngur.



S.A.E. flangsar 6000 P.S.I.

SFH 6 45

S.A.E. Flangstengi

Flatur Þéttflötur

BARKI ehf.



Vörunúmer	Heiti	Slöngu stærð	T Gengjur	d mm	H mm	C mm
31-57-084508	MW 08SFH 6 45 08	1/2"	31,7	9,5	22	51
31-57-124508	MW 12SFH 6 45 08	1/2"	41,3	9,5	28	57
31-57-124512	MW 12SFH 6 45 12	3/4"	41,3	15,0	30	72
31-57-164512	MW 16SFH 6 45 12	3/4"	47,6	15,0	34	76
31-57-164516	MW 16SFH 6 45 16	1"	47,6	20,0	36	85
31-57-204516	MW 20SFH 6 45 16	1"	54,0	20,0	41	90
31-57-204520	MW 20SFH 6 45 20	1 1/4"	54,0	26,0	51	104
31-57-244520	MW 24SFH 6 45 20	1 1/4"	63,5	26,0	58	109
31-57-244524	MW 24SFH 6 45 24	1 1/2"	63,5	32,0	57	118
31-57-324532	MW 32SFH 6 45 32	2"	79,4	44,0	71	127



Hágæða fittings með vandaðri krómhúð.

Sami fittings fyrir 1-2-3 og 4 vírlaga slöngur.

S.A.E. flangsar 6000 P.S.I.

BARKI ehf.

 PRO•fit

+

B.S.P.


M.M.

J.I.C.

O.R.F.

SAE 3

SAE 6




Slöngufittings

Gengjutöflur

Þrykkingarmál

[illegible]

Gengjutafla B.S.P




60°Þéttflötur

B.S.P. : British Standard Parallel Pipe Thread

BM

Gengjur B.S.P.	Utanmál mm "X"	Barka no.	Gengjufjöldi á tommu
1/8"	9,73	02	26
1/4"	13,16	04	19
3/8"	16,66	06	19
1/2"	20,94	08	14
5/8"	22,19	10	14
3/4"	26,44	12	14
1"	33,25	16	11
1 1/4"	41,91	20	11
1 1/2"	47,80	24	11
2"	59,61	32	11




BF

Gengjur B.S.P.	Innanmál mm "X"	Barka no.	Gengjufjöldi tommum
1/8"	8,57	02	26
1/4"	11,45	04	19
3/8"	14,95	06	19
1/2"	18,63	08	14
5/8"	20,59	10	14
3/4"	24,12	12	14
1"	30,29	16	11
1 1/4"	38,95	20	11
1 1/2"	44,85	24	11
2"	56,66	32	11

BARKI ehf.


British Standard Pipe

Gengjutafla B.S.P.



Flatur Þéttflötur

Gengjur B.S.P.	Innanmál "X" mm	Barka	Gengjufjöldi á tommu
		no.	
1/4"	11,45	04	19
3/8"	14,95	06	19
1/2"	18,63	08	14
3/4"	24,12	12	14
1"	30,29	16	11



30° Þéttflötur


Gengjur B.S.P.	Innanmál "X" mm	Barka	Gengjufjöldi á tommu
		no.	
1/8"	8,57	02	26
1/4"	11,45	04	19
3/8"	14,95	06	19
1/2"	18,63	08	14
5/8"	20,59	10	14
3/4"	24,12	12	14
1"	30,29	16	11
1 1/4"	38,95	20	11
1 1/2"	44,85	24	11
2"	56,66	32	11

BARKI ehf.

British Standard Pipe

Gengjutafla ME

BARKI ehf.




S - Seria

DIN Connection DIN 2353

ME

Gengjur X-mm	Rörastærð mm "Z"	Barka no.	Gengjufjöldi á mm
14	6	14 - 6	1,5
16	8	16 - 8	1,5
18	10	18 - 10	1,5
20	12	20 - 12	1,5
22	14	22 - 14	1,5
24	16	24 - 16	1,5
30	20	30 - 20	2
36	25	36 - 25	2
42	30	42 - 30	2
52	38	52 - 38	2



L - Seria


ME

Gengjur MM	Rörastærð mm "Z"	Barka no.	Gengjufjöldi á mm
12	6	12 - 6	1,5
14	8	14 - 8	1,5
16	10	16 - 10	1,5
18	12	18 - 12	1,5
22	15	22 - 15	1,5
26	18	26 - 18	1,5
30	22	30 - 22	2
36	28	36 - 28	2
45	35	45 - 35	2
52	42	52 - 42	2

DIN 3853

Gengjutafla LMSOF

BARKI ehf.




S - Seria

DIN Connection DIN 2353

LMSOF

Gengjur MM	Innanmál "X" mm	Rörastærð mm "Z"	Barka no.	Gengjufjöldi á mm
14	12,38	6	14 - 6	1,5
16	14,38	8	16 - 8	1,5
18	16,38	10	18 - 10	1,5
20	18,38	12	20 - 12	1,5
22	20,38	14	22 - 14	1,5
24	22,38	16	24 - 16	1,5
30	27,83	20	30 - 20	2
36	33,83	25	36 - 25	2
42	39,83	30	42 - 30	2
52	49,83	38	52 - 38	2



L - Seria

LMSOF

Gengjur MM	Innanmál "X" mm	Rörastærð mm "Z"	Barka no.	Gengjufjöldi á mm
12	10,38	6	12 - 6	1,5
14	12,38	8	14 - 8	1,5
16	14,38	10	16 - 10	1,5
18	16,38	12	18 - 12	1,5
22	20,38	14	22 - 15	1,5
26	24,38	16	26 - 18	1,5
30	27,83	20	30 - 22	2
36	33,83	25	36 - 28	2
45	42,83	30	45 - 35	2
52	49,83	38	52 - 42	2


DIN 3853

Gengjutafla J.I.C




37° Þéttflötur

J.I.C. = Joint Industri Conferance (SAE37)



JM

Gengjur J.I.C.	Utanmál X mm	Barka no.	Gengjufjöldi á tommu
3/8"			
7/16"	11,11	07	20
1/2"	12,70	08	20
9/16"	14,27	09	18
3/4"	19,05	12	16
7/8"	22,23	14	14
1 1/16"	26,99	17	12
1 3/16"	30,16	19	12
1 5/16"	33,34	21	12
1 5/8"	41,1	26	12
1 7/8"	47,63	30	12




JF

Gengjur J.I.C.	Inanmál X mm	Barka no.	Gengjufjöldi á tommu
3/8"			
7/16"	9,74	07	20
1/2"	11,33	08	20
9/16"	12,76	09	18
3/4"	17,33	12	16
7/8"	20,26	14	14
1 1/16"	25,10	17	12
1 3/16"	28,20	19	12
1 5/16"	31,40	21	12
1 5/8"	39,20	26	12
1 7/8"	45,80	30	12

Joint Industri Conferance

Gengjutafla O.R.F.S.




Flatur Þéttflötur

O-Ring Face Seal

ORM

Gengjur J.I.C.	Utanmál X mm	Barka no.	Gengjufjöldi á tommu	O - Hringur
9/16"	14,27	04	18	7,65 x 1,78
11/16"	17,30	06	16	9,25 x 1,78
13/16"	20,50	08	16	12,42 x 1,78
1"	25,30	10	14	15,60 x 1,78
1 3/16"	30,16	12	12	18,77 x 1,78
1 7/16"	36,40	16	12	23,52 x 1,78
1 11/16"	42,70	20	12	
2"	50,60	24	12	




ORFS

Gengjur J.I.C.	Inanmál X mm	Barka no.	Gengjufjöldi á tommu
9/16"	12,76	04	18
11/16"	15,8	06	16
13/16"	19,00	08	16
1"	23,50	10	14
1 3/16"	28,20	12	12
1 7/16"	34,30	16	12
1 11/16"	40,70	20	12
2"	48,60	24	12

O - ring Face Seal

S.A.E. flangsar 3000 P.S.I.





S.A.E. flangs 3000 P.S.I.

Society of Automotive Engineers

Flangs S.A.E.	Utanmál X mm	Þykkt Z mm	Barka no.	O - Hringur
1/2"	30,20	6,7	08	18,64 x 3,53
3/4"	38,10	6,7	12	24,99 x 3,53
1"	44,50	8,0	16	32,93 x 3,53
1 1/4"	50,80	8,0	20	37,69 x 3,53
1 1/2"	60,50	8,0	24	46,04 x 3,53
2"	71,40	9,5	32	57,15 x 3,53

Split Flangs

Heill Flangs




Flangs S.A.E.	" C " mm	" E " mm	" D " mm	" F " mm	" L " mm
1/2"	38,10	17,48	54	45,6	8,75
3/4"	47,63	22,23	65	51,8	10,75
1"	52,37	26,19	70	58,4	10,75
1 1/4"	58,72	30,18	79	72,6	12,00
1 1/2"	69,85	35,71	94	82,2	13,50
2"	77,77	42,88	102	96,4	13,50

BARKI ehf.

S.A.E. flangsar 3000 P.S.I.

S.A.E. flangsar 6000 P.S.I.





S.A.E. flangs 6000 P.S.I.

Society of Automotive Engineers

Flangs S.A.E.	Utanmál X mm	Þykkt Z mm	Barka no.	O - Hringur
1/2"	31,80	7,7	08	18,64 x 3,53
3/4"	41,40	8,7	12	24,99 x 3,53
1"	47,80	9,5	16	32,93 x 3,53
1 1/4"	54,10	10,3	20	37,69 x 3,53
1 1/2"	63,50	12,6	24	46,04 x 3,53
2"	79,50	12,6	32	57,15 x 3,53

Split Flangs


Heill Flangs



Flangs S.A.E.	" C " mm	" E " mm	" D " mm	" F " mm	" I " mm
1/2"	40,49	18,24	56	47,2	8,75
3/4"	50,80	23,80	71	60,0	11,00
1"	57,15	27,76	81	69,6	13,00
1 1/4"	66,68	31,75	95	77,2	15,00
1 1/2"	79,38	36,50	113	95,0	17,00
2"	96,82	44,45	133	113,8	21,00


BARKI ehf.

S.A.E. flangsar 6000 P.S.I

**MWX**

Krumphólkar

Yfir Gúmmí 1 og 2 vírlagaslaga



Vörunúmer	Heiti	D mm	L mm	d mm
31-00-000404	MWX 1/4"	22	28,0	15,8
31-00-000505	MWX 5/16"	24	28,0	17,5
31-00-000606	MWX 3/8"	26	28,0	20,0
31-00-000808	MWX 1/2"	30	31,0	23,3
31-00-001010	MWX 5/8"	33	31,0	26,5
31-00-001212	MWX 3/4"	37	38,0	30,4
31-00-001616	MWX 1"	46	47,5	39,0
31-00-002020	MWX 1 1/4"	58	55,0	49,3
31-00-002424	MWX 1 1/2"	65	60,0	55,8
31-00-003232	MWX 2"	78	72,0	68,5

**PRO•fit**



Krumphólkar fyrir SAE R1AT og SAE R2AT

MW

Krumphólkar

Skrælt 4 vírlagaslaga

BARKI ehf.




Vörunúmer	Heiti	D mm	L mm	d mm
31-03-040004	MW 1/4"	21,0	30,0	15,3
31-03-060006	MW 3/8"	25,4	33,5	18,6
31-03-080008	MW 1/2"	30,0	36,0	22,0
31-03-100010	MW 5/8"	34,0	40,0	25,7
31-03-120012	MW 3/4"	38,0	43,0	29,4
31-03-160016	MW 1"	46,0	60,0	36,1
31-03-200020	MW 1 1/4"	56,0	66,0	46,3
31-03-240024	MW 1 1/2"	67,0	76,5	55,5
31-03-320032	MW 2"	78,0	80,0	66,6


PRO•fit

Krumphólkar fyrir DIN 4SP og DIN 4SH

BARKI ehf.

**MBP2**

Krumphólkar

Skrælt 2 & 3 vírlagaslanga



Vörunúmer	Heiti	D mm	L mm	d mm
31-02-000404	MBP2 04	21,0	30,0	14,1
31-02-000505	MBP2 05	24,0	30,0	15,8
31-02-000606	MBP2 06	25,4	32,0	18,0
31-02-000808	MBP2 08	30,0	34,0	22,0
31-02-001010	MBP2 10	34,0	37,0	25,9
31-02-001212	MBP2 12	38,0	43,0	29,2
31-02-001616	MBP2 16	46,0	50,0	36,5
31-02-002020	MBP2 20	56,0	59,0	45,2
31-02-002424	MBP2 24	62,0	63,0	51,9
31-02-003232	MBP2 32	75,0	79,0	64,5

MBP1

Krumphólkar

Skrælt 1 vírlagaslanga

BARKI ehf.




Vörunúmer	Heiti	D mm	L mm	d mm
31-01-000404	MBP1 04	20,0	30,2	13,5
31-01-000505	MBP1 05	22,0	30,7	14,4
31-01-000606	MBP1 06	24,0	32,0	16,5
31-01-000808	MBP1 08	28,5	34,0	20,5
31-01-001010	MBP1 10	32,0	37,0	23,8
31-01-001212	MBP1 12	36,0	43,0	27,6
31-01-001616	MBP1 16	43,0	50,0	34,7
31-01-002020	MBP1 20	52,0	57,0	42,4
31-01-002424	MBP1 24	57,0	63,0	48,0
31-01-003232	MBP1 32	70,6	78,0	61,2


PRO•fit

Krumphólkar fyrir SAE R1AT

BARKI ehf.

**MBYT****Krumphólkar**

Fyrir R7 & R8 Plastslöngau



Vörunúmer	Heiti	D mm	L mm	d mm
31-07-000303	MBYT 03			
31-07-000404	MBYT 04	18	29,0	13,0
31-07-000505	MBYT 05	20	30,0	15,4
31-07-000606	MBYT 06	22	32,0	17,0
31-07-000808	MBYT 08	27	34,0	21,5
31-07-001010	MBYT 10			
31-07-001212	MBYT 12			
31-07-001616	MBYT 16			

**PRO•fit**



Krumphólkar fyrir R7 OG R8 Plastslöngur

MBPT

Krumphólkar

Fyrir PTFE1

BARKI ehf.



Vörunúmer	Heiti	D mm	L mm	d mm
31-08-000303	MBPTF 03	14,0	26,0	10,0
31-08-000404	MBPTF 04	15,0	30,0	11,0
31-08-000505	MBPTF 05	17,0	30,0	13,0
31-08-000606	MBPTF 06	19,0	32,0	15,0
31-08-000808	MBPTF 08	24,0	34,0	18,5
31-08-001010	MBPTF 10	28,0	37,0	22,0
31-08-001212	MBPTF 12	30,0	41,0	25,0
31-08-001616	MBPTF 16	38,0	45,0	32,0



PRO•fit


Krumphólkar fyrir

BARKI ehf.



B.S.P. Nippiltengi

60° Þéttflötur





Vörunúmer	Heiti	Slöngu stærð	T Gengjur	d mm	E mm	C mm
31-11-020004	MW 02 BM 04	1/4"	1/8"	4,0	14	21
31-11-040004	MW 04 BM 04	1/4"	1/4"	4,0	19	27
31-11-060004	MW 06 BM 04	1/4"	3/8"	4,0	22	28
31-11-060005	MW 06 BM 05	5/16"	3/8"	5,5	22	28
31-11-060006	MW 06 BM 06	3/8"	3/8"	7,0	22	29
31-11-080006	MW 08 BM 06	3/8"	1/2"	7,0	27	32
31-11-080008	MW 08 BM 08	1/2"	1/2"	9,5	27	33
31-11-100010	MW 10 BM 10	5/8"	5/8"	12,0	30	34
31-11-120008	MW 12 BM 08	1/2"	3/4"	15,0	25	34
31-11-120012	MW 12 BM 12	3/4"	3/4"	15,0	32	36
31-11-160012	MW 16 BM 12	3/4"	1"	15,0	41	39
31-11-160016	MW 16 BM 16	1"	1"	20,0	41	40
31-11-200020	MW 20 BM 20	1 1/4"	1 1/4"	26,0	50	45
31-11-240024	MW 24 BM 24	1 1/2"	1 1/2"	32,0	55	46
31-11-320032	MW 32 BM 32	2"	2"	44,0	70	53,5

BF

B.S.P. Lausróaratengi

60° Þéttflötur

BARKI ehf.




Vörunúmer	Heiti	Slöngu stærð	T Gengjur	d mm	E mm	C mm
31-10-020004	MW 02 BF 04	1/4"	1/8"	4,0	14	16
31-10-040004	MW 04 BF 04	1/4"	1/4"	4,0	19	18
31-10-060004	MW 06 BF 04	3/8"	1/4"	4,0	22	20
31-10-060005	MW 06 BF 05	5/16"	3/8"	5,5	22	20
31-10-060006	MW 06 BF 06	3/8"	3/8"	7,0	22	20
31-10-080006	MW 08 BF 06	3/8"	1/2"	7,0	27	22
31-10-080008	MW 08 BF 08	1/2"	1/2"	9,5	27	23
31-10-100010	MW 10 BF 10	5/8"	5/8"	12,0	30	22
31-10-120008	MW 12 BF 08	1/2"	3/4"	9,5	32	22
31-10-120012	MW 12 BF 12	3/4"	3/4"	15,0	32	23
31-10-160012	MW 16 BF 12	3/4"	1"	15,0	38	25
31-10-160016	MW 16 BF 16	1"	1"	20,0	38	26
31-10-200020	MW 20 BF 20	1 1/4"	1 1/4"	26,0	50	32
31-10-240024	MW 24 BF 24	1 1/2"	1 1/2"	32,0	55	34
31-10-320032	MW 32 BF 32	2"	2"	44,0	70	31



Hágæða fittings með vandaðri krómhúð.

Sami fittings fyrir 1-2-3 og 4 vírlaga slöngur.


British Standard Pipe



BF 90°

B.S.P. Lausróartengi

60° Þéttflötur





Vörunúmer	Heiti	Slöngu stærð	T Gengjur	d mm	E mm	H mm	C mm
31-12-049004	MW 04 BF90S 04	1/4"	1/4"	4,0	19	28	25
31-12-069005	MW 06 BF90S 05	5/16"	3/8"	5,5	22	36	29
31-12-069006	MW 06 BF90S 06	3/8"	3/8"	7,0	22	34	33
31-12-089006	MW 08 BF90S 06	3/8"	1/2"	7,0	27	37	33
31-12-089008	MW 08 BF90S 08	1/2"	1/2"	9,5	22	41	39
31-12-109010	MW 10 BF90S 10	5/8"	5/8"	12,0	30	47	45
31-12-129012	MW 12 BF90S 12	3/4"	3/4"	15,0	32	54	56
31-12-169016	MW 16 BF90S 16	1"	1"	20,0	38	66	70
31-12-209020	MW 20 BF90S 20	1 1/4"	1 1/4"	26,0	50	86	85
31-12-249024	MW 24 BF90S 24	1 1/2"	1 1/2"	32,0	55	100	99
31-12-329032	MW 32 BF90S 32	2"	2"	44,0	70	132	125

BF 45°

B.S.P. Lausróartengi

60° Þéttflötur

BARKI ehf.




Vörunúmer	Heiti	Slöngu stærð	T Gengjur	d mm	E mm	H mm	C mm
31-13-044504	MW 04 BF45S 04	1/4"	1/4"	4,0	19	16	37
31-13-064505	MW 06 BF45S 05	5/16"	3/8"	5,5	22	21	38
31-13-064506	MW 06 BF45S 06	3/8"	3/8"	7,0	22	19	44
31-13-084506	MW 08 BF45S 06	3/8"	1/2"	7,0	27	21	45
31-13-084508	MW 08 BF45S 08	1/2"	1/2"	9,5	27	24	53
31-13-104510	MW 10 BF45S 10	5/8"	5/8"	12,0	30	25	60
31-13-124512	MW 12 BF45S 12	3/4"	3/4"	15,0	32	28	70
31-13-164516	MW 16 BF45S 16	1"	1"	20,0	38	35	84
31-13-204520	MW 20 BF45S 20	1 1/4"	1 1/4"	26,0	50	50	103
31-13-244524	MW 24 BF45S 24	1 1/2"	1 1/2"	32,0	55	55	116
31-13-324532	MW 32 BF45S 32	2"	2"	44,0	70	70	143



Hágæða fittings með vandaðri krómhúð.


Sami fittings fyrir 1-2-3 og 4 vírlaga slöngur.

British Standard Pipe

**M.M. Lauskónatengi**

light series "L"

24° Þéttflötur



Vörunúmer	Heiti	Slöngu	T	d	E	C
		stærð	Gengjur	mm	mm	mm
31-27-120604	MW 12 ME06 04	1/4"	12mm	4,0	14	23
31-27-140804	MW 14 ME08 04	1/4"	14mm	4,0	15	22
31-27-161004	MW 16 ME10 04	1/4"	16mm	4,0	17	23
31-27-181206	MW 18 ME12 06	3/8"	18mm	7,0	19	24
31-27-221506	MW 22 ME15 06	3/8"	22mm	7,0	24	25
31-27-221508	MW 22 ME15 08	1/2"	22mm	9,5	24	26
31-27-261810	MW 26 ME18 10	5/8"	26mm	12,0	27	27
31-27-302212	MW 30 ME22 12	3/4"	30mm	15,0	30	33
31-27-362816	MW 36 ME28 16	1"	36mm	20,0	36	32
31-27-453520	MW 45 ME35 20	1 1/4"	45mm	26,0	46	36
31-27-524224	MW 52 ME42 24	1 1/2"	52mm	32,0	55	38


LMSOF

M.M. Lausróartengi

light series "L"

24° Þéttflötur

BARKI ehf.




Vörunúmer	Heiti	Slöngu	T	d	E	C
		stærð	Gengjur	mm	mm	mm
31-33-120604	MW 12 LMSOF06 04	1/4"	12mm	4,0	14	19
31-33-140804	MW 14 LMSOF08 04	1/4"	14mm	4,0	17	23
31-33-161004	MW 16 LMSOF10 04	1/4"	16mm	4,0	19	23
31-33-161005	MW 16 LMSOF10 05	5/16"	16mm	5,5	19	23
31-33-161006	MW 16 LMSOF10 06	3/8"	16mm	7,0	19	25
31-33-181205	MW 18 LMSOF12 05	5/16"	18mm			
31-33-181206	MW 18 LMSOF12 06	3/8"	18mm	7,0	22	24
31-33-221508	MW 22 LMSOF15 08	1/2"	22mm	9,5	27	28
31-33-261810	MW 26 LMSOF18 10	5/8"	26mm	12,0	32	29
31-33-302212	MW 30 LMSOF22 12	3/4"	30mm	15,0	36	29
31-33-362816	MW 36 LMSOF28 16	1"	36mm	20,0	41	30
31-33-453520	MW 45 LMSOF35 20	1 1/4"	45mm	26,0	50	40
31-33-524224	MW 52 LMSOF42 24	1 1/2"	52mm	32,0	60	41



Hágæða fittings með vandaðri krómhúð.


Sami fittings fyrir 1-2-3 og 4 vírlaga slöngur.

DIN 3853 light series "L"



M.M. Lauskónatengi

heavy series "S"
24° Þéttflötur



Vörunúmer	Heiti	Slöngu	T	d	E	C
		stærð	Gengjur	mm	mm	mm
31-27-160804	MW 16 ME08 04	1/4"	16mm	4,0	17	27
31-27-181004	MW 18 ME10 04	1/4"	18mm	4,0	19	27
31-27-201205	MW 20 ME12 05	5/16"	20mm	5,5	22	29
31-27-201206	MW 20 ME12 06	3/8"	20mm	7,0	22	29
31-27-221406	MW 22 ME14 06	3/8"	22mm	7,0	22	31
31-27-241508	MW 24 ME16 08	1/2"	24mm	9,5	24	32
31-27-302010	MW 30 ME20 10	5/8"	30mm	12,0	30	34
31-27-362512	MW 36 ME25 12	3/4"	36mm	15,0	36	38
31-27-423016	MW 42 ME30 16	1"	42mm	20,0	46	42
31-27-523820	MW 52 ME38 20	1 1/4"	52mm	26,0	55	50


LMSOF

BARKI ehf.

M.M. Lausróartengi

heavy series "S"

24° Þéttflötur



Vörunúmer	Heiti	Slöngu	T	d	E	C
		stærð	Gengjur	mm	mm	mm
31-33-160804	NW 16 LMSOF 08 04	1/4"	16mm	4,0	19	25
31-33-181004	MW 18 LMSOF10 04	1/4"	18mm	4,0	22	24
31-33-201205	MW 20 LMSOF12 05	5/16"	20mm	5,5	24	26
31-33-201206	MW 20 LMSOF12 06	3/8"	20mm	7,0	24	26
31-33-221406	MW 22 LMSOF14 06	3/8"	22mm	7,0	27	29
31-33-241608	MW 24 LMSOF16 08	1/2"	24mm	9,5	30	29
31-33-302010	MW 30 LMSOF20 10	5/8"	30mm	12,0	36	33
31-33-362512	MW 36 LMSOF25 12	3/4"	36mm	15,0	46	40
31-33-423016	MW 42 LMSOF30 16	1"	42mm	20,0	50	43
31-33-523820	MW 52 LMSOF38 20	1 1/4"	52mm	26,0	60	44



Hágæða fittings með vandaðri krómhúð.

Sami fittings fyrir 1-2-3 og 4 vírlaga slöngur.

DIN 3853

heavy series "S"




LMSOF 90°

M.M. Lausróartengi 90°

light series "L"

24° Þéttflötur



Vörunúmer	Heiti	Slöngu	T	d	E	H	C
		stærð	Gengjur	mm	mm	mm	mm
31-35-120604	MW 12LMSOF06 90S 04	1/4"	12mm	4,0	14	24,2	25,3
31-35-140804	MW 14LMSOF08 90S 04	1/4"	14mm	4,0	17	26,3	26,7
31-35-161004	MW 16LMSOF10 90S 04	1/4"	16mm	4,0	19	25,4	26,3
31-35-161006	MW 16LMSOF10 90S 06	3/8"	16mm	7,0	19	30,0	32,5
31-35-181206	MW 18LMSOF12 90S 06	3/8"	18mm	7,0	22	32,6	33,5
31-35-221508	MW 22LMSOF15 90S 08	1/2"	22mm	9,5	27	36,6	42,5
31-35-261810	MW 26LMSOF18 90S 10	5/8"	26mm	12,0	32	42,9	45,9
31-35-302212	MW 30LMSOF22 90S 12	3/4"	30mm	15,0	36	50,2	57,5
31-35-362816	MW 36LMSOF28 90S 16	1"	36mm	20,0	42	60,9	71,5
31-35-453520	MW 45LMSOF35 90S 20	1 1/4"	45mm	26,0	50	80,7	82,6
31-35-524224	MW 52LMSOF42 90S 24	1 1/2"	52mm	32,0	55	93,5	99,8



LMSOF 45°

BARKI ehf.

M.M. Lausróartengi 45°

light series "L"

24° Þéttflötur



Vörunúmer	Heiti	Slöngu	T	d	E	H	C
		stærð	Gengjur	mm	mm	mm	mm
31-37-120604	MW 12LMSOF06 45S 04	1/4"	12mm	4,0	14	15	34
31-37-140804	MW 14LMSOF08 45S 04	1/4"	14mm	4,0	17	14	36
31-37-161004	MW 16LMSOF10 45S 04	1/4"	16mm	4,0	19	14	36
31-37-161006	MW 16LMSOF10 45S 06	3/8"	16mm	7,0	19	16	40
31-37-181206	MW 18LMSOF12 45S 06	3/8"	18mm	7,0	22	19	44
31-37-221508	MW 22LMSOF15 45S 08	1/2"	22mm	9,5	27	22	47
31-37-261810	MW 26LMSOF18 45S 10	5/8"	26mm	12,0	32	24	59
31-37-302212	MW 30LMSOF22 45S 12	3/4"	30mm	15,0	36	26	69
31-37-362816	MW 36LMSOF28 45S 16	1"	36mm	20,0	41	29	79
31-37-453520	MW 45LMSOF35 45S 20	1 1/4"	45mm	26,0	50	49	99
31-37-524224	MW 52LMSOF42 45S 24	1 1/2"	52mm	32,0	60	50	111



Hágæða fittings með vandaðri krómhúð.

Sami fittings fyrir 1-2-3 og 4 vírlaga slöngur.


DIN 3853 light series "L"



LMSOF 90°

M.M. Lausróartengi 90°

heavy series "S"
24° Þéttflötur





Vörunúmer	Heiti	Slöngu stærð	T Gengjur	d mm	E mm	H mm	C mm
31-35-160804	MW 16LMSOF08 90S 04	1/4"	16mm	4,0	19	26	26
31-35-181004	MW 18LMSOF10 90S 04	1/4"	18mm	4,0	22	30	27
31-35-201205	MW 20LMSOF12 90S 05	5/16"	20mm	5,5	24	36	29
31-35-201206	MW 20LMSOF12 90S 06	3/8"	20mm	7,0	24	32	34
31-35-221406	MW 22LMSOF14 90S 06	3/8"	22mm	7,0	27	33	33
31-35-241608	MW 24LMSOF16 90S 08	1/2"	24mm	9,5	30	38	42
31-35-302010	MW 30LMSOF20 90S 10	5/8"	30mm	12,0	36	49	46
31-35-362512	MW 36LMSOF25 90S 12	3/4"	36mm	15,0	46	58	56
31-35-423016	MW 42LMSOF30 90S 16	1"	42mm	20,0	50	66	72
31-35-523820	MW 52LMSOF38 90S 20	1 1/4"	52mm	26,0	60	83	83

LMSOF 45°

BARKI ehf.

M.M. Lausróartengi 45°

heavy series "S"
24° Þéttflötur



Vörunúmer	Heiti	Slöngu stærð	T Gengjur	d mm	E mm	H mm	C mm
31-37-160804	MW 16LMSOF08 90S 04	1/4"	16mm	4,0	19	15	37
31-37-181004	MW 18LMSOF10 45S 04	1/4"	18mm	4,0	22	18	40
31-37-201205	MW 20LMSOF12 45S 05	5/16"	20mm	5,5	24	19	42
31-37-201206	MW 20LMSOF12 45S 06	3/8"	20mm	7,0	24	18	44
31-37-221406	MW 22LMSOF14 45S 06	3/8"	22mm	7,0	27	19	44
31-37-241608	MW 24LMSOF16 45S 08	1/2"	24mm	9,5	30	23	48
31-37-302010	MW 30LMSOF20 45S 10	5/8"	30mm	12,0	36	28	64
31-37-362512	MW 36LMSOF25 45S 12	3/4"	36mm	15,0	46	31	74
31-37-423016	MW 42LMSOF30 45S 16	1"	42mm	20,0	50	33	82
31-37-523820	MW 52LMSOF38 45S 20	1 1/4"	52mm	26,0	60	48	102





Hágæða fittings með vandaðri krómhúð.

Sami fittings fyrir 1-2-3 og 4 vírlaga slöngur.

DIN 3853

heavy series "S"

**J.I.C. Nippiltengi****37° Þéttflötur**


Vörunúmer	Heiti	Slöngu	T	d	E	C
		stærð	Gengjur	mm	mm	mm
31-41-070003	MW 07 JM 03	3/16"	7/16"	3,0	12	26
31-41-070004	MW 07 JM 04	1/4"	7/16"	4,0	12	27
31-41-080004	MW 08 JM 04	1/4"	1/2"	4,0	14	27
31-41-090004	MW 09 JM 04	1/4"	9/16"	4,0	15	27
31-41-090005	MW 09 JM 05	5/16"	9/16"	5,5	15	27
31-41-090006	MW 09 JM 06	3/8"	9/16"	7,0	15	27
31-41-120006	MW 12 JM 06	3/8"	3/4"	7,0	19	30
31-41-120008	MW 12 JM 08	1/2"	3/4"	9,5	19	31
31-41-140008	MW 14 JM 08	1/2"	7/8"	9,5	24	35
31-41-140010	MW 14 JM 10	5/8"	7/8"	12,0	24	35
31-41-170008	MW 17 JM 08	1/2"	1 1/16"	9,5	27	37
31-41-170010	MW 17 JM 10	5/8"	1 1/16"	12,0	27	37
31-41-170012	MW 17 JM 12	3/4"	1 1/16"	15,0	27	38
31-41-190012	MW 19 JM 12	3/4"	1 3/16"	15,0	32	41
31-41-190016	NW 19 JM 16	1"	1 3/16"	20,0	32	41
31-41-210012	MW 21 JM 12	3/4"	1 5/16"	15,0	34	42
31-41-210016	MW 21 JM 16	1"	1 5/16"	20,0	34	43
31-41-260020	MW 26 JM 20	1 1/4"	1 5/8"	26,0	42	47
31-41-300024	MW 30 JM 24	1 1/2"	1 7/8"	32,0	50	52

JF

J.I.C. Lauskónaltengi

37° Þéttflötur

BARKI ehf.




Vörunúmer	Heiti	Slöngu stærð	T Gengjur	d mm	E mm	C mm
31-40-070003	MW 07 JF 03	3/16"	7/16"	3,0	12	13
31-40-070004	MW 07 JF 04	1/4"	7/16"	4,0	12	13
31-40-080004	MW 08 JF 04	1/4"	1/2"	4,0	14	15
31-40-090004	MW 09 JF 04	1/4"	9/16"	4,0	15	16
31-40-090005	MW 09 JF 05	5/16"	9/16"	5,5	15	16
31-40-090006	MW 09 JF 06	3/8"	9/16"	7,0	15	16
31-40-120006	MW 12 JF 06	3/8"	3/4"	7,0	19	16
31-40-120008	MW 12 JF 08	1/2"	3/4"	9,5	19	17
31-40-140008	MW 14 JF 08	1/2"	7/8"	9,5	24	18
31-40-140010	MW 14 JF 10	5/8"	7/8"	12,0	24	19
31-40-170008	MW 17 JF 08	1/2"	1 1/16"	9,5	27	19
31-40-170010	MW 17 JF 10	5/8"	1 1/16"	12,0	27	19
31-40-170012	MW 17 JF 12	3/4"	1 1/16"	15,0	27	20
31-40-190012	MW 19 JM 12	3/4"	1 3/16"	15,0	32	21
31-40-190016	NW 19 JM 16	1"	1 3/16"	20,0	32	21
31-40-210012	MW 21 JM 12	3/4"	1 5/16"	15,0	34	21
31-40-210016	MW 21 JM 16	1"	1 5/16"	20,0	34	22
31-40-260020	MW 26 JM 20	1 1/4"	1 5/8"	26,0	42	28
31-40-300024	MW 30 JM 24	1 1/2"	1 7/8"	32,0	50	31



Hágæða fittings með vandaðri krómhúð.

Sami fittings fyrir 1-2-3 og 4 vírlaga slöngur.


Joint Industri Conference



JF 90°

J.I.C. Lausróartengi

37° Þéttiflötur





Vörunúmer	Heiti	Slöngu stærð	T Gengjur	d mm	E mm	H mm	C mm
31-42-079003	MW 07 JF90S 03	3/16"	7/16"	3,0	15	22	22
31-42-079004	MW 07 JF90S 04	1/4"	7/16"	4,0	15	24	25
31-42-089004	MW 08 JF90S 04	1/4"	1/2"	4,0	17	25	25
31-42-099004	MW 09 JF90S 04	1/4"	9/16"	4,0	19	27	25
31-42-099005	MW 09 JF90S 05	5/16"	9/16"	5,5	19	33	29
31-42-099006	MW 09 JF90S 06	3/8"	9/16"	7,0	19	32	33
31-42-129006	MW 12 JF90S 06	3/8"	3/4"	7,0	24	33	33
31-42-129008	MW 12 JF90S 08	1/2"	3/4"	9,5	24	38	39
31-42-149008	MW 14 JF90S 08	1/2"	7/8"	9,5	27	41	39
31-42-149010	MW 14 JF90S 10	5/8"	7/8"	12,0	27	45	45
31-42-179010	MW 17 JF90S 10	5/8"	1 1/16"	12,0	32	45	45
31-42-179012	MW 17 JF90S 12	3/4"	1 1/16"	15,0	32	52	56
31-42-199012	MW 19 JF90S 12	3/4"	1 3/16"	15,0	36	53	56
31-42-219012	MW 21 JF90S 12	3/4"	1 5/16"	15,0	38	57	56
31-42-219016	MW 21 JF90S 16	1"	1 5/16"	20,0	38	65	70
31-42-269020	MW 26 JF90S 20	1 1/4"	1 5/8"	26,0	50	88	85
31-42-309024	MW 30 JF90S 24	1 1/2"	1 7/8"	32,0	55	101	99

JF 45°

J.I.C. Lausróartengi

37° Þéttflötur

BARKI ehf.



Vörunúmer	Heiti	Slöngu stærð	T Gengjur	d mm	E mm	H mm	C mm
31-43-074503	MW 07 JF45S 03	3/16"	7/16"	3,0	15	14	32
31-43-074504	MW 07 JF45S 04	1/4"	7/16"	4,0	15	13	34
31-43-084504	MW 08 JF45S 04	1/4"	1/2"	4,0	17	14	35
31-43-094504	MW 09 JF45S 04	1/4"	9/16"	4,0	19	15	36
31-43-094505	MW 09 JF45S 05	5/16"	9/16"	5,5	19	20	37
31-43-094506	MW 09 JF45S 06	3/8"	9/16"	7,0	19	17	42
31-43-124506	MW 12 JF45S 06	3/8"	3/4"	7,0	24	18	43
31-43-124508	MW 12 JF45S 08	1/2"	3/4"	9,5	24	21	50
31-43-144508	MW 14 JF45S 08	1/2"	7/8"	9,5	27	23	52
31-43-144510	MW 14 JF45S 10	5/8"	7/8"	12,0	27	23	58
31-43-174510	MW 17 JF45S 10	5/8"	1 1/16"	12,0	32	24	59
31-43-174512	MW 17 JF45S 12	3/4"	1 1/16"	15,0	32	27	69
31-43-194512	MW 19 JF45S 12	3/4"	1 3/16"	15,0	36	27	69
31-43-214512	MW 21 JF45S 12	3/4"	1 5/16"	15,0	38	30	72
31-43-214516	MW 21 JF45S 16	1"	1 5/16"	20,0	38	34	83
31-43-264520	MW 26 JF45S 20	1 1/4"	1 5/8"	26,0	50	52	105
31-43-304524	MW 30 JF45S 24	1 1/2"	1 7/8"	32,0	55	56	105





Hágæða fittings með vandaðri krómhúð.

Sami fittings fyrir 1-2-3 og 4 vírlaga slöngur.

Joint Industri Conferance

ORM Nippiltengi

Flatur Þéttflötur




Vörunúmer	Heiti	Slöngu stærð	T Gengjur	d mm	E mm	C mm
31-50-040004	MW 04 ORM 04	1/4"	9/16"	4,0	15	23
31-50-060006	MW 06 ORM 06	3/8"	11/16"	5,5	19	26
31-50-080008	MW 08 ORM 08	1/2"	13/16"	9,5	22	29
31-50-100010	MW 10 ORM 10	5/8"	1"	12,0	27	33
31-50-120012	MW 12 ORM 12	3/4"	1 3/16"	15,0	32	36
31-50-160016	MW 16 ORM 16	1"	1 7/16"	20,0	38	37
31-50-200020	MW 20 ORM 20	1 1/4"	1 11/16"	26,0		

LORF

LORF Lausróartengi

flATUR Þéttflötur

BARKI ehf.



Vörunúmer	Heiti	Slöngu stærð	T Gengjur	C mm	E mm	A mm
31-48-040004	MW 04 LORF 04	1/4"	9/16"	4,0	19	24
31-48-060006	MW 06 LORF 06	3/8"	11/16"	5,5	22	24
31-48-080008	MW 08 LORF 09	1/2"	13/16"	9,5	24	30
31-48-100010	MW 10 LORF 10	5/8"	1"	12,0	30	33
31-48-120012	MW 12 LORF 12	3/4"	1 3/16"	15,0	36	34
31-48-160016	MW 16 LORF 16	1"	1 7/16"	20,0	41	37
31-48-200020	MW 20 LORF 20	1 1/4"	1 11/16"	26,0	50	40


PRO•fit

Hágæða fittings með vandaðri krómhúð.

Sami fittings fyrir 1-2-3 og 4 vírlaga slöngur.

O - ring Face Seal


BARKI ehf.



LORF 90°

LORF Lausróartengi 90°

Flatur Þéttflötur



Vörunúmer	Heiti	Slöngu stærð	T Gengjur	d mm	E mm	H mm	C mm
31-49-049004	MW 04 LORF90S 04	1/4"	9/16"	4,0	19	24	27
31-49-069006	MW 06 LORF90S 06	3/8"	11/16"	7,0	22	29	34
31-49-089008	MW 08 LORF90S 09	1/2"	13/16"	9,5	24	36	42
31-49-109010	MW 10 LORF90S 10	5/8"	1"	12,0	30	40	46
31-49-129012	MW 12 LORF90S 12	3/4"	1 3/16"	15,0	36	47	57
31-49-169016	MW 16 LORF90S 16	1"	1 7/16"	20,0	41	58	72
31-49-209020	MW 20 LORF90S 20	1 1/4"	1 11/16"	26,0	50	74	83

PRO•fit

Hágæða fittings með vandaðri krómhúð.

Sami fittings fyrir 1-2-3 og 4 vírlaga slöngur.



O - ring Face Seal

LORF 45°

LORF Lausróartengi 45°

Flatur Þéttflötur

BARKI ehf.



Vörunúmer	Heiti	Slöngu stærð	T Gengjur	d mm	E mm	H mm	C mm
31-50-044504	MW 04 LORF45S 04	1/4"	9/16"	4,0	19	12	34
31-50-064506	MW 06 LORF45S 06	3/8"	11/16"	7,0	22	16	41
31-50-084508	MW 08 LORF45S 09	1/2"	13/16"	9,5	24	21	47
31-50-104510	MW 10 LORF45S 10	5/8"	1"	12,0	30	21	57
31-50-124512	MW 12 LORF45S 12	3/4"	1 3/16"	15,0	36	23	66
31-50-164516	MW 16 LORF45S 16	1"	1 7/16"	20,0	41	27	77
31-50-204520	MW 20 LORF45S 20	1 1/4"	1 11/16"	26,0	50	42	96

PRO•fit

Hágæða fittings með vandaðri krómhúð.


Sami fittings fyrir 1-2-3 og 4 vírlaga slöngur.

O - ring Face Seal



S.A.E. Flangstengi

Flatur Þéttflötur



Vörunúmer	Heiti	Slöngu stærð	T mm	d mm	C mm
31-52-080308	MW 08SFH 3 08	1/2"	30,2	9,5	39
31-52-120308	MW 12SFH 3 08	1/2"	38,1	9,5	39
31-52-120312	MW 12SFH 3 12	3/4"	38,1	15,0	56
31-52-160312	MW 16SFH 3 12	3/4"	44,5	15,0	56
31-52-160316	MW 16SFH 3 16	1"	44,5	20,0	70
31-52-200316	MW 20SFH 3 16	1"	50,8	20,0	70
31-52-200320	MW 20SFH 3 20	1 1/4"	50,8	26,0	85
31-52-240320	MW 24 SFH3 20	1 1/4"	60,4	26,0	85
31-52-240324	MW 24SFH 3 24	1 1/2"	60,4	32,0	99
31-52-320332	MW 32SFH 3 32	2"	71,4	44,0	125



Hágæða fittings með vandaðri krómhúð.

Sami fittings fyrir 1-2-3 og 4 vírlaga slöngur.



S.A.E. flangsar 3000 P.S.I.

SFH 3 90

S.A.E. Flangstengi

Flatur Þéttflötur

BARKI ehf.




Vörunúmer	Heiti	Slöngu stærð	T mm	H mm	d mm	C mm
31-53-089308	MW 08 SFH 3 90 08	1/2"	30,2	39	9,5	39
31-53-129308	MW 12 SFH 3 90 08	1/2"	38,1	44	9,5	39
31-53-129312	MW 12 SFH 3 90 12	3/4"	38,1	53	15,0	56
31-53-169312	MW 16 SFH 3 90 12	3/4"	44,5	58	15,0	56
31-53-169316	MW 16 SFH 3 90 16	1"	44,5	65	20,0	70
31-53-209316	MW 20 SFH 3 90 16	1"	50,8	70	20,0	70
31-53-209320	MW 20 SFH 3 90 20	1 1/4"	50,8	81	26,0	85
31-53-249320	MW 24 SFH 3 90 20	1 1/4"	60,4	85	26,0	85
31-53-249324	MW 24 SFH 3 90 24	1 1/2"	60,4	92	32,0	99
31-53-329332	MW 32 SFH 3 90 32	2"	71,4	115	44,0	125

 **PRO•fit**


Hágæða fittings með vandaðri krómhúð.

Sami fittings fyrir 1-2-3 og 4 vírlaga slöngur.

S.A.E. flangsar 3000 P.S.I.

**S.A.E. Flangstengi**

Flatur Þéttflötur



Vörunúmer	Heiti	Slöngu stærð	T mm	H mm	d mm	C mm
31-54-084508	MW 08SFH 3 45 08	1/2"	30,2	22	9,5	51
31-54-124508	MW 12SFH 3 45 08	1/2"	38,1	25	9,5	54
31-54-124512	MW 12SFH 45 3 12	3/4"	38,1	27	15,0	69
31-54-164512	MW 16SFH 3 45 12	3/4"	44,5	31	15,0	73
31-54-164516	MW 16SFH 3 45 16	1"	44,5	33	20,0	82
31-54-204516	MW 20SFH 3 45 16	1"	50,8	37	20,0	86
31-54-204520	MW 20SFH 3 45 20	1 1/4"	50,8	47	26,0	100
31-54-244520	MW 24SFH 3 45 20	1 1/4"	60,4	49	26,0	102
31-54-244524	MW 24SFH 3 45 24	1 1/2"	60,4	50	32,0	111
31-54-324532	MW 32SFH 3 45 32	2"	71,4	56	44,0	129



Hágæða fittings með vandaðri krómhúð.

Sami fittings fyrir 1-2-3 og 4 vírlaga slöngur.


S.A.E. flangsar 3000 P.S.I.

SFH 6

S.A.E. Flangstengi

Flatur Þéttflötur

BARKI ehf.



Vörunúmer	Heiti	Slöngu stærð	T mm	d mm	C mm
31-55-080608	MW 08SFH 6 08	1/2"	31,7	9,5	46
31-55-120608	MW 12SFH 6 08	1/2"	41,3	9,5	53
31-55-120612	MW 12SFH 6 12	3/4"	41,3	15,0	54
31-55-160612	MW 16SFH 6 12	3/4"	47,6	15,0	60
31-55-160616	MW 16SFH 6 16	1"	47,6	20,0	61
31-55-200616	MW 20SFH 6 16	1"	54,0	20,0	68
31-55-200620	MW 20SFH 6 20	1 1/4"	54,0	26,0	70
31-55-240620	MW 24SFH 6 20	1 1/4"	63,5	26,0	76
31-55-240624	MW 24SFH 6 24	1 1/2"	63,5	32,0	76
31-55-320632	MW 32SFH 6 32	2"	79,4	44,0	85

PRO•fit

Hágæða fittings með vandaðri krómhúð.

Sami fittings fyrir 1-2-3-4 vírlaga slöngur.

S.A.E. flangsar 6000 P.S.I.